

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smellie</u>
Date of Inspection: <u>Dec 10 13</u>
Shift: <u>1<sup>st</sup></u> Shift or 2 <sup>nd</sup> Shift      Time: <u>500</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>✓</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 2, 13</u>
Shift: <u>1<sup>st</sup> Shift</u> or <u>2<sup>nd</sup> Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 3, 13</u>
Shift: <u>1<sup>st</sup> Shift</u> or <u>2<sup>nd</sup> Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>nor</u>	-
Visible Emission From Discharge Conveyor System	<u>nor</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	Smelko
Date of Inspection:	Dec 4, 13
Shift: 1 <sup>st</sup> Shift or 2 <sup>nd</sup> Shift	Time: 5:00

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 8, 13</u>
Shift: <u>1<sup>st</sup> Shift</u> or <u>2<sup>nd</sup> Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smelfo</u>
Date of Inspection: <u>Dec 6, 13</u>
Shift: <u>1<sup>st</sup> Shift</u> or <u>2<sup>nd</sup> Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smellko</u>
Date of Inspection: <u>Dec 8, 13</u>
Shift: <u>1<sup>st</sup> Shift</u> or <u>2<sup>nd</sup> Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>nor</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>nor</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smelko</u>	
Date of Inspection: <u>Dec 9, 13</u>	
Shift: <u>1<sup>st</sup> Shift</u> or <u>2<sup>nd</sup> Shift</u>	Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.



**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smelko</u>		
Date of Inspection: <u>Dec 10, 13</u>		
Shift: <u>1<sup>st</sup> Shift</u> or <u>2<sup>nd</sup> Shift</u> Time: <u>5:00</u>		
Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 11, 13</u>
Shift: <u>1<sup>st</sup> Shift</u> or <u>2<sup>nd</sup> Shift</u> Time: <u>9:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible Inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	<i>Ted Courtson</i>
Date of Inspection:	<i>12/13/15</i>
Shift: 1 <sup>st</sup> Shift or 2 <sup>nd</sup> Shift	Time: <i>500 AM</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<hr/>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<hr/>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	<i>Ted Coyle</i>
Date of Inspection:	<i>12/10/13</i>
Shift: 1 <sup>st</sup> Shift or 2 <sup>nd</sup> Shift	Time: <i>500AM</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Normal</i>	_____
Visible Emission From Discharge Conveyor System	<i>Normal</i>	_____

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

#### D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift

(Stack SDS 04)

### VISIBLE EMISSION NOTATIONS

Inspector: Ted Cuyton  
Date of Inspection: \_\_\_\_\_  
Shift: 1<sup>st</sup> Shift or 2<sup>nd</sup> Shift Time: 5:00 AM

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	Normal	
Visible Emission From Discharge Conveyor System	Normal	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector: <u>Smelko</u>
Date of Inspection: <u>Dec 15, 13</u>
Shift: <u>1<sup>st</sup> Shift</u> or <u>2<sup>nd</sup> Shift</u> Time: <u>5:20</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	<i>Ted Compton</i>
Date of Inspection:	<i>12/23/13</i>
Shift: <input checked="" type="radio"/> 1 <sup>st</sup> Shift or <input type="radio"/> 2 <sup>nd</sup> Shift	Time: <i>500 PM</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	<i>Ted Compton</i>
Date of Inspection:	<i>12/24/13</i>
Shift: <input checked="" type="radio"/> 1 <sup>st</sup> Shift or <input type="radio"/> 2 <sup>nd</sup> Shift	Time: <i>5:00 PM</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Normal</i>	<hr/>
Visible Emission From Discharge Conveyor System	<i>Normal</i>	<hr/>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.



**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	<i>Ted Compton</i>
Date of Inspection:	<i>12/26/13</i>
Shift: <input checked="" type="radio"/> 1 <sup>st</sup> Shift or <input type="radio"/> 2 <sup>nd</sup> Shift	Time: <i>500 PM</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>No</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>No</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	Ted Compton	
Date of Inspection:	12/27/13	
Shift: <input checked="" type="radio"/> 1 <sup>st</sup> Shift or <input type="radio"/> 2 <sup>nd</sup> Shift	Time:	500 PM

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	Nor	_____
Visible Emission From Discharge Conveyor System	Nor	_____

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	<i>Ted Compton</i>
Date of Inspection:	<i>12/28/13</i>
Shift: <i>1<sup>st</sup></i> Shift or <i>2<sup>nd</sup></i> Shift	Time: <i>500 AM</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Normal</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>Normal</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	<i>Ted Campton</i>
Date of Inspection:	<i>12/29/13</i>
Shift: <input checked="" type="radio"/> 1 <sup>st</sup> Shift or <input type="radio"/> 2 <sup>nd</sup> Shift	Time: <i>500 PM</i>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>No</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>No</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

**D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift**  
(Stack SDS 04)

**VISIBLE EMISSION NOTATIONS**

Inspector:	STANWAL	
Date of Inspection:	12/31/13	
Shift: 1 <sup>st</sup> Shift or 2 <sup>nd</sup> Shift	Time:	5 PM

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	NM	-
Visible Emission From Discharge Conveyor System	NM	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.